

ALLERGOLOGY

SUBLINGUAL SPECIFIC IMMUNOTHERAPY

Specific immunotherapy consists on the administration of the allergen causing the disease, administered sublingually, on a daily basis, in order to induce the needed tolerance to control the allergic response.

The drops of the allergenic extract are put directly under the tongue, allowing their home administration.

REQUIREMENTS FOR THE PROCEDURE:

Submit the medical order, if applicable, with the clinical data and the respective authorization of prepaid medicine services or EPS. Request an appointment prior to service.

RECOMMENDATIONS FOR PATIENTS IN IMMUNOTHERAPY TREATMENT

- Take the vaccine in the morning on an empty stomach.
- Apply under the tongue, hold for 2 minutes and then swallow the content.
- Store in a refrigerator between 2 - 8°. The product is stable at a temperature below 25° C for 3 months. Never freeze.
- Do not brush your teeth 15 minutes before the vaccine, or 15 minutes later.
- Do not mix with food. Wait at least 15 minutes to take food.
- Always take at the same time. During air travels, the product must be transported in the cabin.
- The application of the medication must be on a daily basis and in a fulfilled way to favor the action of the vaccine; the irregular use or withdrawal of the treatment is associated with its failure.

DURATION: Approximately 2 minutes, every day for the time specified by the specialist. Controls are carried out every 3 or 6 months.

For more information, please contact telephone number: 3319090 Prepaid Medicine and individuals: 1-1-1-8 and in EPS: 1-2-1-8.



IMPORTANT: If, for any reason, it is not possible to attend your appointment or you require additional information, before or after it, please contact the registered contacts.

ATTENTION SCHEDULE:

Monday to Friday from 7:00 AM – 5:00 PM
Tower 7 Floor 4

Remember that according to Law 100 of 1993, it is a DUTY of patients, self-care and adherence to the recommendations of their Treating Physician.